

# MATERIAL SAFETY DATA SHEET

(Law Laboratories, Atlanta, GA)

Product Name:

Last-A-Span #1123  
(Roof Coating)

## SECTION I

TEMP-COAT Brand Products LLC  
301 W. Airline Hwy., Ste. 100  
LaPlace, LA 70068

Emergency Phone #: 985-651-2911  
Information Phone #: 985-651-2911  
Date Prepared: 1/87

## SECTION II HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

The following ingredients are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Re-authorization Act of 1986 and 40 CFR part 372.

<u>Cas Number</u>	<u>Hazardous Ingredients</u>	<u>(%)</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
	Titanium Dioxide(nuisance dust)		15mg/m <sup>3</sup>	
	Mica (nuisance dust)		20 mppcf	
	Inert Ingredients		N/A	

(Product does not present a dust hazard since all components are in the wet state)

NPCA: Hazardous Material Identification System

Health	0	Flammability	0
Reactivity	0	Personnel Protection	E

## SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	212° F	Specific Gravity (H <sub>2</sub> O = 1)	1.19
Vapor Pressure	~18 (mm Hg)	Melting Point:	N/A
Vapor Density (Air = 1):	>1	Evaporation Rate: (Butyl Acetate = 1)	>1
Solubility in water:	dilutable	Appearance & Odor:	White liquid with a mild, pleasant odor

## SECTION IV FIRE and EXPLOSION HAZARD DATA

Flash Point: N/A LEL: N/A  
Flammable Limits: N/A UEL: N/A  
Extinguished Media: Product will not burn until water has evaporated  
Special Fire and Fighting: For residual solids; use water fog, carbon dioxide, dry chemical or foam.  
Unusual Fire and Explosion Hazards: None

## SECTION V REACTIVITY DATA

Stability: Stable

Incompatibility: Avoid contamination with acids, strong alkalies and oxidizing agents.  
(materials to avoid)

Hazardous Decomposition Combustion may yield carbon monoxide and/or carbon dioxide.  
or Byproduct:

Hazardous Polymerization: Will not occur

**SECTION VI HEALTH HAZARD and FIRST AID DATA**

Route(s) of Entry: Skin: Ingestion: X Inhalation: NTP IARC OSHA  
Health Hazards: None Known Carcinogenicity: N/A

Signs and Symptoms of Exposure: Exposure in a closed environment to vapors may cause headache, dizziness and/or nausea.

Medical Conditions Generally aggravated by Exposure: None Known

**First Aid Procedure:**

Eye exposure: If irritation or redness from exposure to vapors or aerosols develops, move victim away from exposure and into fresh air. If irritation or redness persists, seek medical attention. For direct contact, flush the affected eye(s) with clear water. Seek medical attention.

Skin: Remove contaminated clothing. Clean affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists, seek medical attention.

Ingestion: No first aid is normally required; however, if symptoms develop, seek medical attention.

Inhalation: First aid is not normally required, if breathing difficulties develop, seek medical attention.

**SECTION VII PRECAUTIONS FOR SAFE HANDLING and USE**

Steps to be taken in case of spill: Dike with a water absorbent, spread absorbent over material and collect for disposal. Small amounts should be flushed with a large quantity of water.

Waste Disposal Methods: Dispose of in accordance with Federal, State & Local regulations.

Precautions to be taken in handling and storage: Use only with adequate ventilation. Avoid extremes of temperature. DO NOT ALLOW TO FREEZE. Keep containers closed when product is not in use.

**SECTION VIII CONTROL MEASURES**

Respiratory Protections: NIOSH approved respirator or gas mask with appropriate cartridges and canisters may be needed to minimize exposure to vapors or gases.

Ventilation: Local Exhaust: Preferable Mechanical (gen): Acceptable Special: May need if other forms are inadequate. Other: Normally not required

Protective Gloves: Impermeable recommended.

Eye Protection: Spectacles with unperforated side shields recommended.

Other Protective Equipment: It is suggested that a source of clean water be available in the area for flushing eyes and skin. Impervious clothing should be worn as needed.